

QUALITY, QUANTITY, SPEED.

PRODUCTION REDEFINED.







The Canon imagePROGRAF 60" PRO-6100S and 44" PRO-4100S large-format printers are built for advanced printing solutions. With an 8-Color LUCIA PRO ink system, these printers are ideal for bringing production signage, commercial photography, and proofing businesses to the next level.



Color consistency, fast print speeds, and low running cost are why the PRO Series line of large-format printers were engineered.

FEATURES

- Intelligent Media Handling
- 4.3" touch screen
- Borderless printing
- 1.28" print head
- LUCIA PRO 8-color ink system
- High-speed L-COA PRO processor
- High-precision unibody design
- Multifunction Roll System (optional on the PRO-4100S)
- Multipositional basket
- High-capacity ink tanks
- Advanced software and workflow solutions
- Compact design
- Wi-Fi®+ connectivity
- Direct USB drive printing
- Sub-Ink Tank System



PRODUCTION REDEFINED

Canon thought of every detail when it came to building the ultimate large-format production printer—intelligent media handling, a large 4.3" touch screen operation panel, torque control on the Take-up unit, a Sub-lnk Tank System, and a compact size to reach a whole new level of performance.

INTELLIGENT MEDIA LOADING

For the first time ever, an imagePROGRAF printer can load and recognize paper without the need for human intervention. Simply set the roll holder in the printer and the media will automatically feed into the device. The built-in multi-sensor measures the surface reflection and the media thickness to determine the media type, without the need to manually enter it.

REMAINING MEDIA ESTIMATION

Accurately measure the remaining media on a roll without the need to print a bar code, saving both ink and media.

MULTIFUNCTION ROLL SYSTEM

The Canon Multifunction Roll System, standard on the PRO-6100S and optional on the PRO-4100S, can be used in two different ways—enabling a second roll of media to be loaded on the printer, or the unit can be configured as a bi-directional Take-up unit.

SUB-INK TANK SYSTEM

The Sub-lnk Tank System acts as an ink reservoir for the printer, working to remove all the ink in the tank before having to replace it—helping eliminate any wasted ink and decreasing your cost per print! The empty tanks can then be replaced on the fly, without stopping the printer and ruining the print. This is extremely useful during your long print jobs.







Embedded innovations woven together, deliver outstanding performance each and every time.

1.28"-WIDE PRINT HEAD

At the heart of the imagePROGRAF PRO-6100S and PRO-4100S printers is a single 1.28"-wide print head with 18,432 nozzles. These PRO Series printers are able to produce stunning prints with less passes, making these the fastest Canon 8-color, large-format printers ever!

LUCIA PRO INK SYSTEM

The LUCIA PRO ink set adopts microencapsulated 8-color pigment inks. These inks help you achieve fantastic color reproduction, image clarity, and fine lines, all ideal for creating vivid posters and advertising displays.

This ink set helps:

- Enhance red color performance
- Reduce graininess
- Enhance dark area reproduction

print head. The LUCIA PRO ink is arranged in a mirror layout on the print head, symmetrically arranging the colors: C, M, Y, and MBK. This layout allows for the same ejection order of the four key colors during the bidirectional printing process, resulting in faster print speeds.

ANTI-CLOGGING TECHNOLOGY

The PF-10 print head with FINE technology generates fast print speeds and helps reduce the possibility of clogging, so ink and media aren't wasted. Ink ejection conditions are precisely checked by sensors to ensure optimal performance. If a clog is detected, another nozzle will automatically provide backup, helping to reduce the possibility of a misprint.

To enhance print performance, the 8 colors use all 12 ink channels in the







COLOR CALIBRATION

Producing the correct color is paramount when printing high-quality work. The built-in Color Calibration function uses a multi-sensor to read color density and to calibrate the printer, so that the last print can look identical to the first.

Need color consistency in different locations? The PRO Series gives you the ability to calibrate up to 50 printers across the world with the single click of a button.

L-COA PRO IMAGE PROCESSOR

Big jobs need fast processing. This high-precision control engine performs the high-speed processing of massive amounts of image data, generates the printing data, and controls the optimal ink layout for achieving faster print speeds.



UNIBODY DESIGN

The unibody structure was designed to provide a strong platform for stable print head scanning, resulting in precise ink droplet placement. The ultimate combination of speed and high-quality printing is achieved with this design.

BORDERLESS PRINTING

Print borderless on all paper sizes.

TRANSPARENT DESIGN

Easily check whether printing has begun and what paper size is loaded in the printer with the all new transparent media cover.



INPUT AND OUTPUT VERSATILITY

Canon-developed hardware and software innovations offer unique flexibility in any production environment.



Wi-Fi® CONNECTIVITY

Stay Connected. Wi-Fi connectivity is standard with the imagePROGRAF PRO Series.

OPERATION PANEL

The large 4.3" LCD operation-panel utilizes smart phone touch screen technology for easy operation. The top three most-used commands—Load, Feed, and Cut—now have their own buttons below the operation panel for ease of use.

DIRECT USB DRIVE PRINTING

PDF and JPEG files can be directly printed on the imagePROGRAF PRO Series from a USB thumb drive. Simply input the thumb drive into the USB port on the printer, preview the image on the operation panel, and print! Fast and easy printing without the use of a computer.

MULTIPOSITIONAL BASKET

The PRO Series printers offer choices on how prints will be outputted based on the type and quantity being produced. Each comes standard with a multipositional basket that can be configured as any of the following:

- Catch basket
- Flatbed stacker
- Slope (used to display a print)





PRINTER MANAGEMENT SOLUTIONS

PROFESSIONAL PRINT & LAYOUT

Canon's Professional Print & Layout (PPL) software for imagePROGRAF PRO Series printers offers features that streamline your printing workflow.

Features include:

- Can be used as stand-alone RIP or as export module in Adobe® Photoshop®, Adobe Lightroom, or Canon Digital Photo Professional
- Create and save custom layouts
- Preview of multiple images at the bottom of the software
- 16-bit printing workflow
- Auto nesting

ACCOUNTING MANAGER

In today's printing environment, it's more important than ever to understand how much ink and media each print job is costing your business. Both Mac® and Microsoft® compatible, Accounting Manager serves as a powerful feature to accurately manage print costs. You can now track the amount of ink and paper being consumed for large-format printing for up to 50 printers!

QUICK UTILITY TOOLBOX

Quick Utility Toolbox is home to all the Canon PRO Series printer software and tools.

DEVICE MANAGEMENT CONSOLE

The Device Management Console software, ideal for fleet management, lets you perform color calibrations remotely. You can monitor the printer status of up to 50 units from any location in the world, be notified via e-mail when an error has occurred, or check the amount of ink left in the printers—without ever having to leave the comfort of your desk.

ADDITIONAL SOFTWARE AVAILABLE

- Free Layout Plus
- PosterArtist Lite
- Media Configuration Tool
- Direct Print & Share
- PosterArtist (optional)

imagePROGRAF PRO-6100S/4100S

TECHNICAL INFORMATION

PRINT

PRINT	
Printing Technology	FINE: Full-Photolithography Nozzle Engineering
Head Configuration	12-Channel Integrated Type
Nozzle Configuration	1,536 Nozzles x 12 Channels: 18,432 Total
Minimum Droplet Size	4 Picoliters per Color
Maximum Print Resolution	Up to 2400 x 1200 dpi
Ink Information	Type: Pigment-Based LUCIA PRO Ink Technology PFI-1100 (160 ml): PBK, MBK, C, M, Y, PC, PM, GY PFI-1300 (330 ml): PBK, MBK, C, M, Y, PC, PM, GY PFI-1700 (700 ml): PBK, MBK, C, M, Y, PC, PM, GY
PRINTER SPECS	
Print Head	PF-10 (1)
Colors	Photo Black, Matte Black, Cyan, Magenta, Yellow, Photo Cyan, Photo Magenta, Gray
Ink Tank Shipped with Printer	8 Colors: MBK/C/M/Y/PBK/PC/PM/GY (330 ml Tank, Each Color)
Hard Disk Capacity	500 GB
Printer Memory	3 GB
Printer Stand	Standard
Display	4.3" Color LCD Touch-screen
Size/Weight (with basket open)	PRO-6100S : 46.0" (H) × 78.7" (W) × 38.7" (D)/Approx. 359 lb. PRO-4100S : 46.0" (H) × 62.7" (W) × 38.7" (D)/Approx. 267 lb.
MEDIA	
Media Feed	PRO-6100S: Front-Loading Roll Feed: Two* Rolls, Front Output PRO-4100S: Front-Loading Roll Feed: One Roll, Front Output Front-Loading Manual Feed: Front Loading, Front Output
Media Width	PRO-61005 : 8" - 60" (Cut-Sheet and Roll) PRO-41005 : 8" - 44" (Cut-Sheet and Roll)
Minimum Media Length	8"
Maximum Print Length**	59' (Roll Paper) 63" (Cut-Sheet)
Borderless Printing Widths	Custom roll width 6" – 60" (max width depending on printer) with micro margin technology
Media Thickness	.07 mm8 mm
Media Core Sizes	2" or 3" Core (with Supplied Adaptor)
Printable Margins	Roll Paper: Top: 3 mm; Bottom: 3 mm; Side: 3 mm Cut-Sheet: Top: 3 mm; Bottom: 20 mm; Side: 3 mm
Maximum Media Roll (Outer Dia.)	6.7" (170 mm)

Interfaces	Hi-Speed USB, 10/100/1000Base-T/TX, Wireless LAN (IEEE 802.11 b/g/n)***
Printer Language	Swift Graphic Raster (SGRaster)
Recommended Operating Environment	Temperature: 59° - 86° F (15° - 30° C) Humidity: 10 - 80% (No Condensation)
Power Supply	AC 100-240 V (50-60 Hz)
Power Consumption	PRO-6100S Maximum: 113 W or Less PRO-4100S Maximum: 107 W or Less Standby: 3.6 W or Less Power Off: 0.5 W or Less
Printing Software	imagePROGRAF Printer Driver, Professional Print & Layout;* Free Layout Plus, Direct Print & Share! PosterArtist Lite††
Optional Software	PosterArtist
OS Compatibility	32-bit: Windows® Vista/7/8/8.1/10 64-bit: Windows® 7, Windows® 8.1, Windows® 10, Windows® Server 2008 R2, Windows® Server 2012/2012R, Windows®

Server 2016, Windows® Server 2019

Maintenance Cartridge (MC-30) Rotary Cutter (CT-07)

PRO-6100S: Roll Holder Set (RH2-66) PRO-4100S: Multifunction Roll System (RU-43),

Mac: (OS X 10.10.5~OS 10.11), (OS 10.12~Mac OS 10.14)

Accounting Manager, Device Management Console, Media Configuration Tool, Quick Utility Toolbox

For a complete listing of specifications, please visit usa.canon.com/largeformat.

Roll Holder Set (RH2-46)

Print Head (PF-10)

- ♦ Wi-Fi is a registered trademark of the Wi-Fi Alliance.
- * If Multifunction Roll is used.

User-Replaceable Items

GENERAL

Utilities

Options

- ** The maximum printable length varies, depending on the application, OS, and RIP used.
- *** Wireless printing requires a working network with wireless 802.11b/g or 802.11n capability. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- · For the temperature and humidity conditions of papers, refer to the paper's packaging or the supplied instructions.
- Professional Print & Layout plug-in software is compatible with Adobe® Photoshop CC 2015-CC 2019, Adobe Photoshop Lightroom V6.X, CC 2015, Classic CC, Photoshop Elements 15, 2018, 2019, and Canon Digital Professional 4.92 or later.
- † Direct Print & Share comes embedded with the imagePROGRAF large-format printers and is also available as a free download at http://usa.canon.com/downloads. You must sign up for the Google™ service separately. This service is subject to Google's terms and conditions. Based on Google's current services. Subject to change at Google's discretion.
- ^{††} Only available with the PRO-4100S.

















Canon and imagePROGRAF are registered trademarks and the GENUINE logo and LUCIA PRO are trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Microsoft is a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. All other referenced product names and marks are trademarks of their respective owners. Specifications and availability subject to change without notice. Certain images and effects are simulated. Not responsible for typographical errors.





